



# Baffle & Suspended Ceiling



Intelligent Panels









SEC. NO. 3869

Wt. 1.40 TO 1.70 KG./ 12'









SEC.NO. 4799

Wt. 1.550 TO 1.650 KG./ 12'



SEC.NO. 4800

Wt. 1.120 TO 1.220 KG./ 12'




SEC. NO. 3251  
Wt. 0.960 KG./ M




SEC. NO. 3252  
Wt. 0.297 KG./ M








SEC. NO. 3873  
Wt. 1.30 TO 1.600 KG./ 12'



SEC. NO. 3872  
Wt. 1.950 TO 2.300 KG./ 12'



SEC. NO. 3870  
WT. 1.200 TO 1.500 KG. / 12'




SEC. NO. 3869  
WT. 1.400 TO 1.700 KG. / 12'





SEC. NO. 3875


WT. 1.900 TO 2.200 KG./ 12"




SEC. NO. 3874

WT. 4.75 TO 5.100 KG./ 12"







SEC. NO. 3877  
WT. 1.200 TO 1.500 KG./ 12"



SEC. NO. 3876  
WT. 4.100 TO 4.400 KG./ 12"






SEC. NO. 3873  
WT. 1.300 TO 1.600 KG./ 12'




SEC. NO. 3872  
WT. 1.950 TO 2.300 KG./ 12'











SEC.NO. 4807  
Wt. 2.460 TO 2.600 KG./ 12'



SEC.NO. 4806  
Wt. 0.660 TO 0.760 KG./ 12'




SEC. NO. 4122  
Wt. 2.850 TO 3.100 KG./12'




SEC. NO. 4134  
Wt. 7.350 TO 7.650 KG./12'







\*SEC. NO. 3621  
Wt. 2.300 TO 2.500 KG / 12'



SEC. NO. 3735  
Wt. 3.200 TO 3.500 KG / 12'




SEC. NO. 3829  
Wt. 2.90 TO 3.20 KG./ 12'




SEC.NO. 4788

Wt. 1.200 TO 1.320 KG./ 12'




SEC.NO. 4789

Wt. 0.800 TO 0.900 KG./ 12'




SEC.NO. 4799

Wt. 1.550 TO 1.650 KG./ 12'




SEC.NO. 4800

Wt. 1.120 TO 1.220 KG./ 12'




SEC.NO. 4807

Wt. 2.460 TO 2.600 KG./ 12'




SEC.NO. 4806

Wt. 0.660 TO 0.760 KG./ 12'




SEC. NO. 3869


Wt. 1.40 TO 1.70 KG./ 12'









SEC. NO. 4700  
Wt. 2.900 TO 3.120 KG./ 12'




• SEC. NO. 2427  
Wt. 2.400 KG./ 15'




SEC. NO. 3251  
Wt. 0.960 KG./ M




SEC. NO. 3252  
Wt. 0.297 KG./ M




SEC. NO. 3872  
Wt. 1.950 TO 2.300 KG./ 12'



SEC. NO. 3873  
Wt. 1.30 TO 1.600 KG./ 12'




SEC. NO. 3874  
Wt. 4.75 TO 5.100 KG./ 12'



SEC. NO. 3875  
Wt.1.90 TO 2.20 KG./ 12'







SEC. NO. 3870  
WT. 1.200 TO 1.500 KG./ 12'




SEC. NO. 3873  
WT. 1.300 TO 1.600 KG./ 12'




SEC. NO. 3877  
WT. 1.200 TO 1.500 KG./ 12'



SEC. NO. 3869  
WT. 1.400 TO 1.700 KG./ 12'




SEC. NO. 3872  
WT. 1.950 TO 2.300 KG./ 12'




SEC. NO. 3876  
WT. 4.100 TO 4.400 KG./ 12'




SEC. NO. 3875  
WT. 1.900 TO 2.200 KG./ 12'




SEC. NO. 4122  
WT. 2.850 TO 3.100 KG./12'




SEC. NO. 4134  
WT. 7.350 TO 7.650 KG./12'



SEC. NO. 3874  
WT. 4.75 TO 5.100 KG./ 12'



SEC. NO. 4121  
WT. 4.800 TO 5.100 KG./12'



SEC. NO. 5128  
WT. 2.310 TO 2.560 KG./12'



INTELLIGENT  
PANELS

[WWW.ITSWALLPANEL.COM](http://WWW.ITSWALLPANEL.COM)

