




INTELLIGENT  
ALUMINIUM


itswallpanel.com

## CURTAIN PROFILE



SEC. No. 2591

WT. 1.400 TO 1.550 KG/12'



SEC. No.2592


WT. 1.400 TO 1.550 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## CURTAIN PROFILE




SEC. No. 2593

WT. 0.600 TO 0.800 KG/12'

INTELLIGENT

ALUMINIUM

itswallpanel.com



SEC. No. 2594


WT. 0.800 TO 1.000 KG/12'



INTELLIGENT  
ALUMINIUM


itswallpanel.com

## CURTAIN PROFILE



SEC. No. 2595

WT. 0.400 TO 0.600 KG/12'



SEC. No. 2597


WT. 0.500 TO 0.700 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## CURTAIN PROFILE




SEC. No. 2596

WT. 1.300 TO 1.550 KG/12'

INTELLIGENT

ALUMINIUM



SEC. NO. 4198


WT. 1.320 TO 1.500 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## CURTAIN PROFILE




SEC. NO. 4084

WT. 0.550 TO 0.650 KG/12'

INTELLIGENT

ALUMINIUM

itswallpanel.com



SEC. NO. 3840


WT. 0.800 TO 1.000 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## CURTAIN PROFILE



SEC. NO. 2697

WT. 2.870 TO 3.000 KG/12'

INTELLIGENT

ALUMINIUM


itswallpanel.com



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE



### H - SECTION


S No.	Section No.	A in mm.	B in mm.	T in mm.	Weight (KG/12')
1	526	9.50	14.00	0.70	0.250-0.320
2	527	27.00	9.00	0.55	0.330-0.360
3	528	28.00	22.00	1.15	0.750-0.900
4	529	28.00	22.00	1.50	1.100 - 1.200
5	530	28.00	22.00	1.60	1.150 - 1.250
6	531	28.00	22.00	1.75	1.000 - 1.250
7	532	28.00	22.00	2.65	2.000 - 2.200
8	533	33.00	13.00	1.40	1.000 - 1.200



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE



**BULB TEE**

S No.	Section No.	A in mm.	B in mm.	C in mm.	T in mm.	Weight (KG/12')
1	551	25.00	25.00	3.00	1.05	0.465-0.550
2	552	25.00	25.00	3.00	1.30	1.100-1.300
3	553	38.00	25.00	3.00	1.20	0.750-0.900
4	554	38.00	25.00	3.00	1.50	0.870-1.000
5	555	38.00	38.00	3.00	1.60	1.140-1.280
6	556	38.00	62.00	3.00	2.00	1.880-2.080






INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE



DELUXE HANDLE

SEC.No. 610

WT. 1.700 TO 2.000 KG./12'


itswallpanel.com



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE



PLAIN TEE


S No.	Section No.	A in mm.	B in mm.	T in mm.	Weight (KG/12')
	582	15.00	12.00	3.20	0.740-0.850
2	576	19.00	19.00	0.70	0.300-0.450
3	577	25.00	25.00	2.60	1.200-1.300
4	584	35.00	35.00	4.80	3.100-3.250
5	585	38.00	21.00	2.80	1.530-1.650
6	578	38.00	38.00	1.50	1.200-1.350
7	579	38.00	38.00	3.00	2.085-2.300
8	586	41.00	41.00	6.50	4.800-5.000
9	587	42.00	36.00	4.80	3.400-3.600
10	580	50.00	50.00	6.00	5.500-5.700
11	583	75.00	40.00	2.50	2.700-2.950
12	581	99.00	50.00	2.00	2.750-3.050
13	588	100.00	50.00	2.90	4.250-4.400
14	2614	24.00	24.00	3.00	1.200-1.300
15	3671	44.50	33.00	8.50	5.100-5.600
16	5011	42.10	38.10	6.20	3.580-3.800
17	5012	23.90	27.10	2.80	1.350-1.500
18	5013	24.10	29.55	3.90	1.915-2.115
19	5025	24.40	21.70	2.30	0.970-1.070
20	5026	24.40	19.20	1.80	0.650-0.750
21	5027	35.40	34.90	4.80	2.570-2.800



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE




SEC.NO. 5011

WT. 3.580 TO 3.800 KG/12'

INTELLIGENT

ALUMINIUM

itswallpanel.com



SEC.NO. 5012


WT. 1.350 TO 1.500 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE



SEC.NO. 5013

WT. 1.915 TO 2.120 KG/12'



SEC.NO. 5027


WT. 2.570 TO 2.800 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE




SEC.NO. 5026

WT. 0.650 TO 0.750 KG/12'

INTELLIGENT

ALUMINIUM



SEC.NO. 5025


WT. 0.970 TO 1.070 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE




SEC. NO. 3614

WT. 1.700 TO 1.900 KG/12'

INTELLIGENT

ALUMINIUM



SEC. NO. 3671


WT. 5.100 TO 5.600 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE



INTELLIGENT  
ALUMINIUM

itswallpanel.com

SEC. NO. 3726


WT. 24.22 TO 25.50 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

# HARDWARE PROFILE



## TOWER BOLT

S No.	Sec. No.	A in mm.	B in mm.	C in mm.	T in mm.	Weight(KG/12')
1	4540	28.40	10.60	9.70	0.90	0.470 - 0.520
2	4394	29.00	11.20	9.80	0.70	0.580 - 0.630
3	611	30.00	11.00	9.00	1.40	0.700 - 0.760
4	612	30.00	11.00	9.20	1.00	0.570 - 0.620
5	613	30.00	11.80	9.80	1.30	0.700 - 0.800
6	614	30.00	12.00	10.00	1.00	0.700 - 0.900
7	615	30.50	13.00	10.00	1.20	0.900 - 1.100
8	616	30.80	12.00	10.00	1.30	0.950 - 1.150
9	617	31.00	12.00	10.00	1.20	0.700 - 0.900
10	618	31.00	12.00	10.50	0.90	0.570 - 0.620
11	619	31.00	12.60	10.80	1.10	0.700 - 0.800
12	620	31.00	13.00	11.00	1.50	0.900 - 1.100
13	621	31.60	13.40	11.40	1.60	0.950 - 1.200
14	622	32.00	12.40	10.00	1.50	1.000 - 1.250
15	623	32.40	13.60	11.00	1.70	1.050 - 1.300
16	624	36.00	15.00	12.00	2.00	1.400 - 1.600
17	625	37.00	13.40	12.00	1.00	0.700 - 0.900
18	626	37.00	14.50	12.00	1.60	1.100 - 1.250
19	627	37.00	15.00	12.00	1.40	1.500 - 1.700
20	628	37.00	15.00	12.00	1.60	1.550 - 1.750
22	629	38.50	16.60	13.00	2.00	1.650 - 1.850
23	630	30.70	12.10	10.80	0.70	0.530 - 0.590
24	631	35.00	10.00	11.50	0.70	0.580 - 0.650
25	632	30.00	11.70	10.50	1.00	0.530 - 0.590
26	633	35.00	12.80	11.60	1.10	0.690 - 0.730
27	634	35.50	14.00	12.50	1.70	0.900 - 1.000
28	635	38.00	16.70	13.00	2.50	1.650 - 1.850
29	3502	102.00	33.00	23.00	3.20	1.650 - 1.850
30	3502	102.00	33.00	23.00	3.20	1.650 - 1.850









INTELLIGENT  
ALUMINIUM

itswallpanel.com

# HARDWARE PROFILE






INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE



### ALL DRAP PATTA

S No.	Sec No.	A in mm.	B in mm.	C in mm.	T in mm.	Weight (KG/12')
1	3503	97.00	14.00	11.00	1.50	1.800-2.100
2	701	100.00	17.60	12.80	2.10	2.900-3.100
3	702	129.00	24.00	16.00	3.90	6.550-6.700
4	4966	90.00	13.80	10.80	1.80	1.930-2.100
5	5024	97.60	15.80	12.60	1.80	2.220-2.420
5	5014	124.70	23.00	16.20	3.40	5.610-5.850


itswallpanel.com



INTELLIGENT  
ALUMINIUM

itswallpanel.com

# HARDWARE PROFILE



## HINGES

S No.	Sec No.	A in mm.	B in mm.	C in mm.	T in mm.	Weight (KG/12')
1	711	25.40	6.70	3.50	2.90	0.850 - 0.870
2	712	34.00	7.20	5.40	2.20	0.790 - 1.000
3	713	36.00	9.40	5.00	2.90	1.400 - 1.600
4	714	37.50	11.20	5.50	4.00	1.900 - 2.100


itswallpanel.com



INTELLIGENT  
ALUMINIUM


itswallpanel.com

## HARDWARE PROFILE



SEC. NO. 651

Wt. 0.640 TO 0.720 KG/12'



SEC. NO. 652


Wt. 1.000 TO 1.100 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

# HARDWARE PROFILE



## C - HANDLE


S No.	Sec No.	A in mm.	B in mm.	T in mm.	Weight (KG/12')
1	4390	120.00	35.00	2.20	3.700 - 3.900
2	4073	120.00	30.50	2.00	3.150 - 3.300
3	5235	120.50	31.00	1.60	2.470 - 2.650
4	4539	120.50	31.50	1.80	2.890 - 3.100
5	5234	120.50	33.00	2.20	3.270 - 3.420
6	751	121.80	31.80	2.20	3.900 - 4.200
7	5020	122.00	32.20	1.50	2.510 - 2.700
8	767	122.20	36.20	3.60	5.950 - 4.200
9	752	123.00	35.00	2.50	4.400 - 4.800
10	753	124.00	27.00	2.20	3.600 - 4.000
11	754	124.00	35.00	2.60	4.600 - 5.000
12	755	124.00	35.00	3.80	6.900 - 7.300
13	5015	126.65	31.50	1.80	5.150 - 5.320
14	5015	126.65	36.55	2.75	5.150 - 5.300
15	756	129.00	36.00	2.00	3.650 - 4.150
16	757	130.00	37.00	3.25	6.150 - 6.550
17	758	137.00	40.00	3.10	6.250 - 6.650
18	759	138.00	40.00	2.50	4.950 - 5.400
19	5021	139.90	38.70	2.70	5.650 - 5.830
20	4072	141.00	31.70	2.20	4.200 - 4.350
21	760	141.00	35.00	3.00	5.850 - 6.250
22	5236	142.00	31.00	2.00	3.220 - 3.470
23	4688	142.00	32.00	2.50	3.740 - 3.950
24	5237	142.00	35.00	2.30	3.910 - 4.160
25	761	143.00	30.00	2.65	4.700 - 5.100
26	762	144.00	35.00	3.05	6.000 - 6.400
27	763	144.00	36.00	3.90	7.900 - 8.300
28	764	144.00	40.00	2.55	5.200 - 5.600
29	768	144.50	32.30	2.60	5.000 - 5.300
30	769	145.10	35.60	3.30	6.550 - 6.800
31	765	145.00	35.00	3.50	7.000 - 7.400
32	4389	146.00	35.00	2.50	4.590 - 4.750
33	766	146.80	30.70	2.60	5.000 - 5.400



INTELLIGENT  
ALUMINIUM

itswallpanel.com

# HARDWARE PROFILE



**D - HANDLE**


S No.	Sec No.	A in mm.	B in mm.	T in mm.	Weight (KG/12')
1	4391	120.00	29.00	2.00	3.050 - 3.200
2	776	121.00	27.50	2.60	3.950 - 4.450
3	777	121.00	30.00	3.10	4.950 - 5.450
4	778	121.00	30.00	3.90	6.400 - 6.800
5	4535	122.00	30.00	2.30	3.890 - 4.100
6	779	126.00	30.00	2.90	4.750 - 5.250
7	780	127.00	34.00	2.70	4.600 - 5.000
8	781	129.00	30.00	3.55	6.050 - 6.400
9	782	139.00	31.00	3.50	6.400 - 6.800
10	783	140.00	28.00	3.00	5.300 - 5.700
11	784	140.00	30.50	3.20	5.750 - 6.150
12	4393	142.00	29.00	2.20	3.900 - 4.100
13	785	142.00	30.00	3.55	6.500 - 6.900
14	786	143.00	30.00	3.10	5.600 - 6.000
15	787	143.00	30.00	4.20	7.800 - 8.200
16	4392	145.00	34.00	2.65	4.700 - 4.900
17	788	148.00	30.00	4.00	7.950 - 8.450
18	789	148.00	34.00	3.00	5.780 - 6.200
19	790	148.5	34.00	3.00	5.800 - 6.200



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE



## TEE SECTION


S No.	Sec No.	A in mm.	B in mm.	T in mm.	Weight (KG/12')
1	731	41.00	39.00	4.50	2.900 - 3.200
2	732	42.00	39.00	6.00	3.600 - 3.800
3	733	42.00	40.00	8.00	4.500 - 4.800
4	734	42.00	37.00	6.30	3.500 - 4.000



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE



### PALKI HANDLE

S No.	Section No.	A in mm.	B in mm.	T in mm.	Weight (KG/12')
1	5023	120.60	31.30	1.80	3.140 - 3.300
2	801	122	40	2.50	1.700 - 1.900
3	5033	140.60	32.00	2.55	4.590 - 4.750

INTELLIGENT  
ALUMINIUM

itswallpanel.com






INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE




SEC. NO. 3674

WT. 10.500 TO 11.500 KG/12'

INTELLIGENT

ALUMINIUM



SEC.NO. 5036


WT. 3.700 TO 3.900 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE



SEC.NO. 4728

WT. 2.330 TO 2.450 KG/12'

INTELLIGENT  
ALUMINIUM



SEC.NO. 4727


WT. 1.590 TO 1.680 KG/12'



INTELLIGENT  
ALUMINIUM


itswallpanel.com

## HARDWARE PROFILE



SEC. NO. 3244

WT. 0.600 TO 0.900 KG/12'



SEC. NO. 3506


WT. 4.040 TO 4.500 KG/12'




INTELLIGENT  
ALUMINIUM

itswallpanel.com


# HARDWARE PROFILE




SEC.NO. 4300  
WT. 0.690 TO 0.850 KG/12'




SEC. NO. 3673  
WT. 2.700 TO 3.000 KG/12'




SEC.NO. 4612  
WT. 4.090 TO 4.250 KG/12'



SEC. NO. 3634  
WT. 3.900 TO 4.350 KG/12'



SEC.NO. 4611  
WT. 4.260 TO 4.450 KG/12'




SEC. No. 3123  
WT. 1.027 TO 1.200 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE



SEC. NO. 3631

WT. 17.300 TO 19.050 KG/12'



SEC. NO. 4342


WT. 11.000 TO 11.600 KG/12'




INTELLIGENT  
ALUMINIUM

itswallpanel.com


# HARDWARE PROFILE




SEC. NO. 3676  
WT. 3.500 TO 3.850 KG/12'



SEC. NO. 3677  
WT. 8.200 TO 9.000 KG/12'



SEC. NO. 5177  
WT. 17.870 TO 18.290 KG/12'




SEC. NO. 3502  
WT. 6.450 TO 6.700 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

# HARDWARE PROFILE




SEC. NO. 3275

WT. 4.900 TO 5.000 KG/12'

INTELLIGENT


ALUMINIUM

itswallpanel.com



SEC. NO. 4698

WT. 3.720 TO 3.910 KG/12'



SEC. NO. 2866


WT. 3.370 TO 3.650 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE



SEC. No. 3117  
(L)WT. 8.000 TO 8.400 KG/12'  
(H)WT. 12.140 TO 12.500 KG/12'



SEC. NO. 3510  
WT. 8.00 TO 8.800 KG/12'






INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE




SEC. NO. 3202

WT. 2.400 TO 2.650 KG/12'

INTELLIGENT

ALUMINIUM

itswallpanel.com



SEC. NO. 3203


WT. 2.090 TO 2.310 KG./12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE




SEC.NO. 4441

WT. 2.150 TO 2.300 KG/12'

INTELLIGENT

ALUMINIUM



SEC.NO. 4442


WT. 2.260 TO 2.400 KG/12'



INTELLIGENT  
ALUMINIUM


itswallpanel.com

## HARDWARE PROFILE



SEC.NO. 4377

WT. 12.530 TO 12.950 KG/12'



SEC.NO. 4283

WT. 11.970 TO 12.500 KG/12'



INTELLIGENT  
ALUMINIUM


itswallpanel.com

## HARDWARE PROFILE



SEC. NO. 3859

WT. 6.900 TO 7.300 KG./12'



SEC. NO. 4357


WT. 7.850 TO 8.100 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE



SEC. NO. 4409

WT. 7.700 TO 8.100 KG/12'

INTELLIGENT

ALUMINIUM

itswallpanel.com



SEC. NO. 3214


WT. 8.900 TO 9.500 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## HARDWARE PROFILE




SEC. NO. 4104

WT. 7.950 TO 8.250 KG/12'

INTELLIGENT

ALUMINIUM



SEC. NO. 4744


WT. 7.200 TO 7.480 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## AWINING PROFILE



SEC. NO. 3623

WT. 2.360 TO 2.500 KG/12'

INTELLIGENT



SEC.NO. 4726


WT. 2.400 TO 2.580 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## AWINING PROFILE



SEC. NO. 3624

WT. 2.820 TO 3.000 KG/12'

INTELLIGENT



SEC. NO. 4341

WT. 1.300 TO 1.500 KG/12'






INTELLIGENT  
ALUMINIUM

itswallpanel.com

## AWINING PROFILE



SEC. NO. 3625

WT. 3.500 TO 3.700 KG/12'

INTELLIGENT

ALUMINIUM



SEC. NO. 2699


WT. 1.620 TO 1.850 KG/12'



INTELLIGENT  
ALUMINIUM


itswallpanel.com

## AWINING PROFILE



SEC. NO. 3785

WT. 1.10 TO 1.30 KG/12'



SEC. NO. 3627


WT. 3.600 TO 4.00 KG/12'



INTELLIGENT  
ALUMINIUM


itswallpanel.com

## AWINING PROFILE



SEC. NO. 3786

WT. 2.45 TO 2.60 KG/12'



SEC. NO. 3626


WT. 3.460 TO 3.800 KG/12'



INTELLIGENT  
ALUMINIUM


itswallpanel.com

## AWINING PROFILE



SEC. NO. 3799

WT. 2.900 TO 3.200 KG/12'



SEC. NO. 3791

WT. 21.70 TO 23.50 KG/12'




INTELLIGENT  
ALUMINIUM

itswallpanel.com


## AWINING PROFILE




SEC. NO. 3796  
WT. 1.400 TO 1.700 KG/12'



SEC. NO. 3838  
WT. 2.000 TO 2.300 KG/12'



SEC. NO. 3792  
WT. 23.70 TO 25.50 KG/12'




SEC. NO. 3866  
WT. 18.400 TO 19.00 KG/12'




INTELLIGENT  
ALUMINIUM

itswallpanel.com


## AWINING PROFILE




SEC. NO. 3864  
WT. 6.500 TO 7.000 KG/12'



SEC. NO. 3720  
WT. 1.550 TO 1.900 KG/12'




SEC. NO. 3865  
WT. 6.70 TO 7.20 KG/12'



SEC. NO. 3750  
WT. 2.640 TO 3.363 KG/12'

itswallpanel.com




SEC. NO. 4624  
WT. 4.200 TO 4.400 KG/12'




INTELLIGENT  
ALUMINIUM

itswallpanel.com


## AWINING PROFILE




SEC. NO. 3864  
WT. 6.500 TO 7.000 KG/12'



SEC. NO. 3720  
WT. 1.550 TO 1.900 KG/12'




SEC. NO. 3865  
WT. 6.70 TO 7.20 KG/12'



SEC. NO. 3750  
WT. 2.640 TO 3.363 KG/12'

itswallpanel.com




SEC. NO. 4624  
WT. 4.200 TO 4.400 KG/12'



INTELLIGENT  
ALUMINIUM


itswallpanel.com

## CURTAIN/BLINDS PROFILE



SEC. No. 3152

WT. 3.325 TO 3.675 KG/12'



SEC. NO. 3248

WT. 1.780 TO 2.200 KG/12'






INTELLIGENT  
ALUMINIUM


itswallpanel.com

## CURTAIN/BLINDS PROFILE



SEC. NO. 3235

WT. 2.340 TO 2.500 KG/12'



SEC. NO. 3249


WT. 1.200 TO 1.500 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## CURTAIN/BLINDS PROFILE



SEC. NO. 3698

WT. 2.300 TO 2.550 KG/12'



SEC. NO. 3571


WT. 1.300 TO 1.450 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## CURTAIN/BLINDS PROFILE



SEC. NO. 3699

WT. 2.400 TO 2.700 KG/12'

INTELLIGENT  
ALUMINIUM


itswallpanel.com



INTELLIGENT  
ALUMINIUM

itswallpanel.com


## SIGNAGE PROFILE



SEC. NO. 3282

WT. 5.500 TO 6.000 KG/12'

INTELLIGENT  
ALUMINIUM



SEC. NO. 5199


WT. 2.280 TO 2.530 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## SIGNAGE PROFILE




SEC. NO. 3841

WT. 2.700 TO 3.000 KG/12'

INTELLIGENT

ALUMINIUM



SEC. NO. 4343


WT. 2.350 TO 2.550 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com


## SIGNAGE PROFILE



SEC. NO. 3810

WT. 2.200 TO 2.300 KG/12'

INTELLIGENT  
ALUMINIUM



SEC. NO. 4344


WT. 2.550 TO 2.750 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com


## SIGNAGE PROFILE



SEC.NO. 4850

WT. 4.050 TO 4.250 KG/12'

INTELLIGENT  
ALUMINIUM



SEC. No. 2675


WT. 0.900 TO 1.200 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## SIGNAGE PROFILE




SEC. NO. 2989

WT. 3.140 TO 3.500 KG/12'

INTELLIGENT

ALUMINIUM



SEC. No. 2676

WT. 1.900 TO 2.200 KG/12'






INTELLIGENT  
ALUMINIUM

itswallpanel.com

## SIGNAGE PROFILE




SEC.NO. 4533

WT. 1.420 TO 1.550 KG/12'

INTELLIGENT

ALUMINIUM



SEC.NO. 4534


WT. 0.700 TO 0.800 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## SIGNAGE PROFILE




SEC. NO. 4159

WT. 0.480 TO 0.550 KG/12'

---

INTELLIGENT

ALUMINIUM



SEC. NO. 2872


WT. 0.646 TO 0.800 KG/12'



INTELLIGENT  
ALUMINIUM


itswallpanel.com

## SIGNAGE PROFILE



SEC. No. 2558

WT. 5.000 TO 5.100 KG/12'



SEC. NO. 2871

WT. 0.372 TO 0.500 KG/12'



INTELLIGENT  
ALUMINIUM

[itswallpanel.com](http://itswallpanel.com)

## SIGNAGE PROFILE



SEC. No. 2677

WT. 0.300 TO 0.400 KG/12'

INTELLIGENT

ALUMINIUM


[itswallpanel.com](http://itswallpanel.com)



INTELLIGENT  
ALUMINIUM

itswallpanel.com

## SIGNAGE PROFILE




SEC. NO. 3282

WT. 5.500 TO 6.000 KG/12'

INTELLIGENT

ALUMINIUM



SEC. NO. 5199


WT. 2.280 TO 2.530 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com


## SIGNAGE PROFILE



SEC. NO. 3841

WT. 2.700 TO 3.000 KG/12'

INTELLIGENT  
ALUMINIUM



SEC. NO. 4343


WT. 2.350 TO 2.550 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com


## SIGNAGE PROFILE



SEC. NO. 3810

WT. 2.200 TO 2.300 KG/12'

INTELLIGENT  
ALUMINIUM



SEC. NO. 4344


WT. 2.550 TO 2.750 KG/12'



INTELLIGENT  
ALUMINIUM


itswallpanel.com

## SIGNAGE PROFILE



SEC. NO. 2989

WT. 3.140 TO 3.500 KG/12'



SEC. No. 2676

WT. 1.900 TO 2.200 KG/12'






INTELLIGENT  
ALUMINIUM

itswallpanel.com

## SIGNAGE PROFILE



SEC.NO. 4533

WT. 1.420 TO 1.550 KG/12'

INTELLIGENT

ALUMINIUM



SEC.NO. 4534


WT. 0.700 TO 0.800 KG/12'



INTELLIGENT  
ALUMINIUM


itswallpanel.com

## SIGNAGE PROFILE



SEC. NO. 4159

WT. 0.480 TO 0.550 KG/12'



SEC. NO. 2872


WT. 0.646 TO 0.800 KG/12'



INTELLIGENT  
ALUMINIUM


itswallpanel.com

## SIGNAGE PROFILE



SEC. No. 2558

WT. 5.000 TO 5.100 KG/12'



SEC. NO. 2871

WT. 0.372 TO 0.500 KG/12'



INTELLIGENT  
ALUMINIUM

itswallpanel.com

# SIGNAGE PROFILE



SEC. No. 2677

WT. 0.300 TO 0.400 KG/12'

itswallpanel.com